

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/709,170	11/10/2000	Raymond P. Warrell	10412-025	4982
Patrick I Rirde	7590 06/08/2007	EXAMINER		
Patrick J. Birde, Esq. KENYON & KENYON ONE BROADWAY NEW YORK, NY 10004			GIBBS, TERRA C	
			ART UNIT	PAPER NUMBER
·			1635	
				·
			MAIL DATE	DELIVERY MODE
			06/08/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)	Applicant(s)		
09/709,170	WARRELL ET AL.	WARRELL ET AL.		
Examiner	Art Unit			
Terra C. Gibbs	1635			

	Terra C. Gibbs	1635	
The MAILING DATE of this communication appe	ears on the cover sheet with the c	orrespondence add	ress
THE REPLY FILED <u>04 May 2007</u> FAILS TO PLACE THIS APP			
The reply was filed after a final rejection, but prior to or or this application, applicant must timely file one of the follor places the application in condition for allowance; (2) a No a Request for Continued Examination (RCE) in complian time periods:	n the same day as filing a Notice of wing replies: (1) an amendment, aff otice of Appeal (with appeal fee) in o	Appeal. To avoid aba idavit, or other evider compliance with 37 C	nce, which FR 41.31; or (3)
a) The period for reply expires 6 months from the mailing date b) The period for reply expires on: (1) the mailing date of this no event, however, will the statutory period for reply expire  Examiner Note: If box 1 is checked, check either box (a) or TWO MONTHS OF THE FINAL REJECTION. See MPEP 7	Advisory Action, or (2) the date set forth later than SIX MONTHS from the mailing (b). ONLY CHECK BOX (b) WHEN THE 106.07(f).	g date of the final rejecti E FIRST REPLY WAS F	on. ILED WITHIN
Extensions of time may be obtained under 37 CFR 1.136(a). The date nave been filed is the date for purposes of determining the period of example of CFR 1.17(a) is calculated from: (1) the expiration date of the set forth in (b) above, if checked. Any reply received by the Office late may reduce any earned patent term adjustment. See 37 CFR 1.704(b) NOTICE OF APPEAL	dension and the corresponding amount shortened statutory period for reply orig r than three months after the mailing da	of the fee. The appropr inally set in the final Offi	iate extension fee ice action; or (2) as
2. The Notice of Appeal was filed on 29 May 2007. A brief date of filing the Notice of Appeal (37 CFR 41.37(a)), or appeal. Since a Notice of Appeal has been filed, any repart AMENDMENTS	any extension thereof (37 CFR 41.3	7(e)), to avoid dismis	sal of the
The proposed amendment(s) filed after a final rejection,  (a) They raise new issues that would require further co  (b) They raise the issue of new matter (see NOTE belo  (c) They are not deemed to place the application in be	onsideration and/or search (see NO ow);	TE below);	
appeal; and/or (d) They present additional claims without canceling a NOTE: See Continuation Sheet. (See 37 CFR 1.		ected claims.	•
The amendments are not in compliance with 37 CFR 1.1 Applicant's reply has overcome the following rejection(s    Newly proposed or amended claim(s) would be a	21. See attached Notice of Non-Co ):		
non-allowable claim(s).  7. For purposes of appeal, the proposed amendment(s): a) how the new or amended claims would be rejected is proof The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: 1,3-5 and 7-23. Claim(s) withdrawn from consideration:  AFFIDAVIT OR OTHER EVIDENCE			
3.  The affidavit or other evidence filed after a final action, b because applicant failed to provide a showing of good ar was not earlier presented. See 37 CFR 1.116(e).	ut before or on the date of filing a N nd sufficient reasons why the affidat	otice of Appeal will <u>n</u> vit or other evidence i	ot be entered s necessary and
9. The affidavit or other evidence filed after the date of filing entered because the affidavit or other evidence failed to showing a good and sufficient reasons why it is necessa	overcome <u>all</u> rejections under appe ry and was not earlier presented. S	al and/or appellant fa See 37 CFR 41.33(d)(	ils to provide a 1).
10. ☐ The affidavit or other evidence is entered. An explanation REQUEST FOR RECONSIDERATION/OTHER			
11. The request for reconsideration has been considered b		n condition for allowa	nce because:
<ul><li>12. ☐ Note the attached Information Disclosure Statement(s).</li><li>13. ☐ Other:</li></ul>	(PTO/SB/08) Paper No(s).		

#### **Continuation Sheet (PTO-303)**

Continuation of 3. NOTE: The proposed amendment filed May 4, 2007 will not be entered. In the amendment filed May 4, 2007, claim 6 was canceled. However, claims 7-11 depend on claim 6, claim 12 depends on claims 6 or 10, and claims 13-16 depend on claims 1, 3 or 6. Because these claims depend on a canceled claim, no meaningful search can be conducted on claims 7-16. It is noted that claims 17 and 18 depend on claim 16 and similarly, no meaningful search can be conducted on claims 17 and 18 since they depend on a canceled claim.

## **Declaration of Dr. Steven Craig Novick**

#### Qualifications of Dr. Novick

- 1. I, Dr. Steven Craig Novick, received a medical doctor degree from New York University School of Medicine in 1995. I received a doctorate degree in Molecular Oncology in 1994 from the same University. I have published numerous articles relating to various cancers and the use of certain therapies in the treatment of different cancers.
- 2. Since 2004, I have been serving as the Medical Director for Genta Incorporated. During this time I have assisted in the preparation of NDA filings for submission to the FDA to seek marketing approval for Genasense<sup>®</sup>. I assisted in the analysis and presentation of safety and efficacy data for Genasense. Genasense is a bcl-2 antisense oligonucleotide, also referred to as G3139.

# Genasense Background and General Comments

- 3. Before the priority date of the '170 application (August 25, 2000), the generally accepted course of therapy was a 14-day treatment regimen. See chart attached at Tab A.
- 4. Not until after the present inventor's discovery that a shorter cycle of therapy would be useful in treating cancer, did others move to a shorter cycle of therapy. See chart at Tab B.
- 5. The first paper to discuss the use of a shorter treatment regimen (published after the filing date of the '170 application) was the Jansen et al. paper, Lancet, Vol. 356, pp. 17281733, (Nov. 18, 2000), which reports research sponsored by Genta. This paper shows efficacy in 14 patients where the patients received increased doses of BCL-2 antisense oligomer for a five-day cycle of therapy.

# Summary of Conclusions: there is no teaching or suggestion in Webb and Waters to shorten the treatment regimen to less than a 2-week course of therapy

- 6. I have read and understood the subject application, U.S. 09/709,170 ("the '170 application").
- 7. I have also read the Office Action issued by the USPTO on November 28, 2006 and the two references referred to therein (Webb et al., The Lancet, 1997 Vol. 349; 1137-1141 ("Webb")) and Waters et al., Journal of Clinical Oncology, 2000 Vol. 18:1812-1823 ("Waters")).
- 8. I have concluded that one skilled in the art would not be motivated by the teachings of Webb and Waters to reduce the usual course of therapy for bcl-2 from a two week course of therapy to a three to nine day course of therapy, as presently claimed in the '170 patent.
- 9. The results reported in Webb and Waters are not impressive, and therefore, one skilled in the art reviewing these references would not be motivated to provide a shorter course of therapy, especially since most of all of the patients in the studies did not respond satisfactorily, despite 14 days of treatment. Those skilled in the art that develop drugs and treatment regimens do not routinely shorten cycles of therapy. To be motivated to do so (and to go against accepted treatment schedules) would require convincing results, which simply are not reported in Webb and Waters.

# Webb Reference: no motivation to shorten the course of therapy

10. After reading the Webb reference, it is my opinion that this reference teaches a two-week treatment regimen. See Webb, p. 1137 left column: "A daily subcutaneous infusion of 18-base, fully phosphorothioated antisense oligonucleotide was administered for 2 weeks to nine patients. . . ." (emphasis added); see also page 1138, left column "One 2-week course of treatment was given. Patients were followed for 4 weeks after the end of treatment. If there was evidence of tumor response, a second course was considered." (emphasis added). Thus, in my opinion, one skilled in the art would read Webb as teaching a two-week course of therapy.

- 11. In my opinion, the mere fact that the authors in Webb report the bcl-2 levels of one patient (patient number 6) measured at week 1 and week 2 during the course of the two week course of treatment does not teach or suggest to one skilled in the art to treat a patient for cancer by shorting the regimen to less than the two week course of treatment, let alone shorten the course of treatment to a cycle of therapy consisting of three to nine days (as is presently claimed in the '170 application).
- 12. In my opinion, the mere fact that one patient (patient 6) at day 7 had reduced levels of BCL-2, does not provide evidence of treatment or a response, nor motivation to shorten the treatment regimen. One would not know whether the total infusion of 14 days was necessary to provide treatment of cancer or whether infusion of 7 days of therapy would be sufficient. This is especially the case, since the patient 6 did not show a promising cancer response.
- 13. One skilled in the art would understand that bcl-2 levels would in fact most likely go down with bcl-2 antisense treatment but would not know based on Webb's study whether this reduction represented a transient reduction or a stable reduction of bcl-2 levels. Further, one skilled in the art reading Webb would not know if this reduction of bcl-2 levels would likely treat cancer, especially if the bcl-2 reduction was transient.
- 14. In my opinion, one skilled in the art reading Webb would <u>not</u> be motivated to shorten the course of therapy, but rather would be motivated to continue with a longer course of therapy, or change the regimen to a course of therapy with a higher dose, or add to the regimen a second, third, or fourth (or more), course of therapy, or a combination of all of these changes to the regimen. In my opinion, by no means would one be motivated to shorten the course of therapy to treat cancer just because one patient showed reduced bcl-2 levels at week 1 and week 2, especially since patient 6 only showed a partial or negligible tumor response (page 2, column 1139).
- 15. Thus, it is my opinion that Webb does not teach or suggest changing the treatment regimen to anything shorter than a two-week course of therapy, let alone to a three to nine day course of therapy as presently claimed in the '170 application.

### Waters reference: no motivation to shorten the course of therapy

- 16. After reviewing Waters, I conclude that this reference also teaches a course of therapy for two weeks. See Page 1812, first column: "Twenty-one patents with Bcl-2-positive relapsed NHL received a 14-day subcutaneous infusion of G3139..." (emphasis added); see also page 1813, left column: "Antisense oligonucleotide G3139 was delivered as a continuous subcutaneous infusion for 14 days by a portable infusion pump. Toxicity was graded according to the common toxicity criteria and assessed during the 2-week treatment period and during the subsequent 4 weeks. One course of treatment was planned per patient, but additional courses of treatment were considered in the event of a tumor response." (emphasis added).
- 17. Because the purpose of this study was to determine safety ("These objectives provided the rationale for a phase I trial of antisense oligonucleotide G3139" page 1813, first col.), the authors studied and reported toxic events and noted that in certain patients, the treatment with bcl-2 antisense oligonucleotide was discontinued before completing the full 2-week course of therapy. See page 1815, col. 2. However, it is my opinion that stopping treatment during a course of therapy due to adverse events, does not teach or suggest using a shorter course of therapy to treat cancer.
- 18. Waters reports that certain patients had adverse effects and had their course of therapy terminated. For example, Patient 15's treatment was discontinued on day one, Patient 16's treatment was discontinued on day 12 and Patient 17's treatment was discontinued after day 2 (48 hours). See page 1815, col. 2. Thus, even if one skilled in the art would be motivated to shorten the cycle of therapy to treat cancer, there is nothing in this data to teach or suggest shortening the cycle of therapy to three to nine days, separated by an interval of time when the therapy is not given and repeating with another three to nine day cycle of therapy (as the current pending claim requires.)
- 19. Even if one were to read Waters as teaching Patient 17 only receiving 2 days of treatment followed by another course of therapy (since Waters reports that patient 17 received a second course of therapy), Waters still does not teach or suggest the claimed method of treating cancer where the patient is given a course of therapy of three to nine days, followed by a rest period, followed by another three to nine day course of therapy. First, patient 17 only received

two days of therapy as Waters states that treatment was discontinued after 48 hours because of dose limiting toxicity. Second, there is nothing to teach or suggest that Patient 17's second course of therapy at a lower dose was anything but the planned 14-day cycle required by the protocol. The discussion of Patient 17 therefore does not suggest the claimed invention, wherein multiple cycles of therapy each consist of three to nine days.

- 20. Waters reports that Patient 18's treatment was discontinued at day 8. However, there is nothing in article that states that Patient 18 went on to receive a second course of therapy. Waters mentions that only three patients (Patient 2, 17 and 21) received a second course of therapy. Waters but does not teach or suggest that it was Patient 18 and in fact clearly indicates by deduction that it was not Patient 18. See page 1813, first col. and page 1818, first col. Thus, there is no teaching or suggestion to shorten the course of therapy from 14 days to three to nine days and then continue on with another course of therapy of three to nine days after a rest period between.
- 21. In my opinion, even Waters was not impressed with the results of the study and therefore did not contemplate a shorter treatment regimen, but instead proposed a combination therapy. On page 1821, Waters notes that "[o]ne of the most interesting possibilities is their use as chemosensitizing agents . . . ." On page 1822, Waters further notes that "based on the results from this phase I study, a phase II trial is now in progress at Royal Marsden Hospital using G3139 in combination with standard cytotoxic regimens . . . " Thus, even Waters does not teach or suggest the use of a shorter treatment regimen, but rather suggest using BCL-2 in combination with cytotoxic reagents.
- 22. I, therefore, conclude that Waters does not teach or suggest a cycle of therapy to treat cancer consisting of three to nine days, followed by an interval of time where no bcl-2 antisense oligonucleotide is administered, followed by another three to nine day cycle of therapy (as required by the claims of the '170 application).

## Conclusion

- 23. In addition to having no teaching or suggestion in Webb or Waters, it is my opinion, that one skilled in the art, reading Webb and Waters, would not have been motivated to treat cancer by shortening the cycle of therapy to from the accepted 2 week cycle of therapy to a cycle of therapy consisting of three to nine days, followed by an interval of time where no bcl-2 antisense oligonucleotide is administered, followed by another three to nine day cycle of therapy.
- 24. All statements made herein of my own knowledge are true, all statements made herein on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. §1001, and may jeopardize the validity of the application or any patent issuing thereon.

 $\frac{9}{125}$ 

Dr. Steven Craig Novick